

TABLE 1
KINDS OF PLANTS AND PERIODS OF RIGHTS
 [Reg 11; 11(a)]

[Table 1 amended by GN R1582 of 28 November 1997, by GN R867 of 3 July 1998, by GN R1285 of 16 October 1998, by GN R323 of 19 March 1999, by GN R604 of 14 May 1999, by GN R1271 of 29 October 1999, by GN R392 of 20 April 2000, by GN R690 of 14 July 2000, by GN R1078 of 3 November 2000, by GN R387 of 18 May 2001 and by GN R667 of 27 July 2001.]

Botanical name	Kind of plant Common name	Category	Period of plant breeder's right (years)	Period of sole right (years)
<i>Abelia</i> R. Br. (All spp.)	Abelia	A	20	5
<i>Abutilon</i> Mill. (All spp.)	Flowering maple, Chinese lantern	B	25	8
<i>Acacia podalyriifolia</i> A. Cunn. ex G. Don	Queensland silver wattle, Pearl acacia	B	25	8
<i>Actinidia chinensis</i> Planch	Kiwifruit	B	25	8
<i>Agapanthus</i> L'Hérit. (All spp.)	Agapanthus, Blue lily	A	20	5
<i>Aglaonema</i> Schott (All spp.)	Aglaonema	A	20	5
X <i>Agrotriticum</i> Ciferri et Giacom. (<i>Agropyron</i> x <i>Triticum</i>)	Agrotriticum	A	20	5
<i>Allium cepa</i> L.	Onion	A	20	5
<i>Aloe</i> L. (All)	Aloe	A	20	5
<i>Alstroemeria</i> L. (All spp.)	Peruvian lily, Inca lily	A	20	5
<i>Ananas comosus</i> (L.) Merrill	Pineapple	B	25	8
<i>Anisodonteia</i> K. Presl.	George mallow, Hairy mallow	A	20	5
<i>Anthephora pubescens</i> Nees	Bottle brush grass	A	20	5
<i>Anthirrhinum</i> L.	Snapdragon	A	20	5
<i>Anthurium</i> Schott (All spp.)	Anthurium	A	20	5
<i>Arachis</i> L. (All spp.)	Groundnut	A	20	5
<i>Arctotis</i> L. (All spp.)	Arctotis	A	20	5
<i>Argyranthemum</i> Webb ex Sch. Bip. (All spp.)	Daisy bush, White marguerite	A	20	5
<i>Asparagus densiflorus</i> (Kunth) Jessop		A	20	5
<i>Aster</i> L. (All spp.)	Michaelmas daisy, Star wort, Frost flower	A	20	5
<i>Aulax</i> Berg	Aulax	B	25	8
Botanical name	Kind of plant Common name	Category	Period of plant breeder's right (years)	Period of sole right (years)

<i>Avena</i> L. (All spp.)	Oats	A	20	5
<i>Barleria</i> L. (All spp.)	Barleria	A	20	5
<i>Begonia</i> L. (All spp.)	Begonia	A	20	5
<i>Bergenia</i> Moench. (All spp.)	Elephant's ear, Siberian saxifrage	A	20	5
<i>Beta vulgaris</i> L. subsp. <i>vulgaris</i> var. <i>conditiva</i> Alef.	Garden beet	A	20	5
<i>Bougainvillea</i> Comm. ex Juss. (All spp.)	Bougainvillea	A	20	5
<i>Brachiaria brizantha</i> (Hochst. ex A. Rich.) Stapf	Bread grass	A	20	5
<i>Brachycome</i> Cass. (All spp.)	Swan river daisy	A	20	5
<i>Bracteantha</i> Anderb. & Haegi (All spp.)	Everlasting, Immortelle, Strawflower	A	20	5
<i>Brassica napus</i> L.	Forage rape	A	20	5
<i>Brassica napus</i> L. var. <i>napobrassica</i> (L.) Reichb.	Swede	A	20	5
<i>Brassica oleracea</i> L. convar. <i>acephala</i> (DC.) Alef.	Fodder kale	A	20	5
<i>Brassica oleracea</i> L. convar. <i>acephala</i> (DC.) Alef. var. <i>sabellica</i> L.	Curly kale	A	20	5
<i>Brassica oleracea</i> L. convar. <i>botrytis</i> (L.) Alef. var. <i>botrytis</i> L.	Cauliflower	A	20	5
<i>Brassica oleracea</i> L. convar. <i>capitata</i> (L.) Alef. var. <i>capitata</i> (L.) Alef.	Cabbage	A	20	5
<i>Brassica oleracea</i> L. convar. <i>capitata</i> (L.) Alef. var. <i>sabauda</i> L.	Savoy	A	20	5
<i>Brassica rapa</i> L. var. <i>rapa</i> (L.) Thell	Turnip	A	20	5
<i>Bromus catharticus</i> Vahl	Rescue grass	A	20	5
<i>Brunia</i> Lam (All spp.)	Brunia	B	25	8
<i>Callistemon</i> R. Br. (All)	Bottle brush	B	25	8
<i>Camellia</i> L. (All spp.)	Camellia, Japonica	B	25	8
<i>Camellia sinensis</i> (L.) O. Kuntze (= <i>Thea sinensis</i> L.)	Tea	B	25	8
<i>Canna</i> L. (All spp.)	Canna	A	20	5
Botanical name	Kind of plant Common name	Category	Period of plant breeder's right (years)	Period of sole right (years)

<i>Capsicum</i> L. (All spp.)	Pepper Paprika	A	20	5
<i>Carica papaya</i> L	Pawpaw	B	25	8
<i>Carya illinoensis</i> (Wangenh.) K. Koch.	Pecan nut	B	25	8
<i>Cenchrus ciliaris</i> L	Blue buffalo grass	A	20	5
<i>Chamelaucium</i> Desf. (All spp.)	Wax flower, Wax plant	B	25	8
<i>Cheiranthus</i> L. (All spp.)	Wall flower	A	20	5
<i>Chironia</i> L. (All spp.)	Christmas berry, Wild Gentian	A	20	5
<i>Chloris gayana</i> Kunth	Rhodes grass	A	20	5
<i>Chrysanthemum</i> L. (All spp.)	Chrysanthemum	A	20	5
<i>Cichorium intybus</i> L	Chicory	A	20	5
<i>Citharexylum</i> Mill. (All spp.)	Fiddlewood	B	25	8
<i>Citrullus lanatus</i> (Thunb.) Matsum. et Nakai	Watermelon, Makataan	A	20	5
<i>Citrus</i> L. (All)	Sweet orange, Lemon, Grapefruit, Loose skin citrus types, Other citrus (Bitter Seville, Lime, Kumquat)	B	25	8
<i>Clivia</i> Lindl. (All spp.)	Bush lily	A	20	5
<i>Coffea arabica</i> L Coffee	B	25		8
<i>Coprosma</i> J. R. Forster et G. Forster (All spp.)	Mirror plant	A	20	5
<i>Cordyline Comm.</i> ex Juss. (All spp.)	Dragon tree	A	20	5
<i>Cucumis</i> L. (All spp.)	Sweet melon, Cucumber	A	20	5
<i>Cucurbita</i> L. (All spp.)	Pumpkin, Squash	A	20	5
<i>Cupressus</i> L. (All spp.)	Cypress	B	25	8
<i>Cyathea</i> Sm. (All spp.)	Tree fern	B	25	8
<i>Cyclopia</i> Vent. (All spp.)	Honeybush tea	A	20	5
<i>Cydonia</i> Mill. (All spp.)	Quince	B	25	8
<i>Cynodon</i> L. (All spp.)	Bermuda grass, Couch grass	A	20	5
<i>Cyrtanthus</i> L. f. (All spp.)	Fire lily	A	20	5
<i>Dactylis glomerata</i> L	Cocksfoot	A	20	5
<i>Daucus carota</i> L	Carrot	A	20	5
Botanical name	Kind of plant Common name	Category	Period of plant breeder's right (years)	Period of sole right (years)

<i>Dendranthema</i> (DC.) Desm (All spp.)	Crysanthemum	A	20	5
<i>Dianthus caryophyllus</i> L	Carnation	A	20	5
<i>Diascia</i> Link et Otto (All spp.)	Twinspur	A	20	5
<i>Dieffenbachia</i> Schott (All spp.)	Dieffenbachia, Dumb cane	A	20	5
<i>Digitaria eriantha</i> Steud	Smuts finger grass	A	20	5
<i>Dimorphotheca</i> Vaill ex Moench (All spp.)	Bitou, Daisy	A	20	5
<i>Dipladenia</i> . (See Mandevilla Lindl.)				
<i>Duranta</i> L. (All)	Forget-me-not tree	A	20	5
<i>Eragrostis curvula</i> (Schrad.) Nees	Weeping lovegrass	A	20	5
<i>Eragrostis tef</i> (Zucc.) Trotter	Teff	A	20	5
<i>Erica</i> L. (All spp.)	Heath	B	25	8
<i>Eryngium</i> L.	Eryngo, Sea Holly	A	20	5
<i>Eucalyptus</i> L'Hér. (All spp.)	Eucalypt, gumtree	B	25	8
<i>Euonymus</i> L. (All spp.)	Spindle tree	A	20	5
<i>Eupatorium</i> L. (All spp.)	Eupatorium	A	20	5
<i>Euphorbia pulcherrima</i> Willd. ex Klotzsch	Poinsettia	A	20	5
<i>Europs</i> Cass. (All spp.)	Resin bush, Daisy bush	A	20	5
<i>Felicia</i> Cass. (All spp.)	Felicia	A	20	5
<i>Festuca arundinacea</i> Schreber	Tall fescue	A	20	5
X <i>Festulolium</i> Aschers. et Graebn. (<i>Festuca</i> x <i>Lolium</i>).	Festulolium, Hybrid fescue	A	20	5
<i>Ficus</i> L	Fig tree, Rubber plant	B	25	8
<i>Fragaria ananassa</i> X Duchesne	Strawberry	A	20	5
<i>Freesia</i> Klatt (All spp.)	Freesia	A	20	5
<i>Fuchsia</i> L. (All spp.)	Fuchsia, Ladies' eardrops	A	20	5
<i>Gardenia</i> Ellis (All spp.)	Gardenia	B	25	8
<i>Gaura</i> L. (All spp.)	Gaura	A	20	5
<i>Gazania</i> Gaertn. (All spp.)	Gazania	A	20	5
<i>Gelsemium sempervirens</i> (L.) Ait.	Carolina jasmine	A	0	5
<i>Gerbera</i> L. (All spp.)	Barberton daisy, Gerbera	A	20	5
<i>Gladiolus</i> L. (All spp.)	Gladiolus	A	20	5
Botanical name	Kind of plant Common name	Category	Period of plant breeder's right (years)	Period of sole right (years)

<i>Glycine max</i> (L.) Merrill	Soya bean	A	20	5
<i>Gossypium hirsutum</i> L.	Cotton	A	20	5
<i>Grevillea</i> R. Br. (All spp.)	Grevillea	B	25	8
<i>Gypsophila</i> L. (All spp.)	Gypsophila, Baby's breath	A	20	5
<i>Haemanthus</i> L. (All spp.)	Haemanthus	A	20	5
<i>Hardenbergia</i> Benth (All spp.)	Australian lilac	A	20	5
<i>Hebe</i> Comm. ex Juss. (All spp.)	Shrubby veronica	A	20	5
<i>Hedera</i> L. (All)	Ivy	A	20	5
<i>Helianthus annuus</i> L.	Sunflower	A	20	5
<i>Helianthus tuberosus</i> L.	Jerusalem artichoke, Girasole	A	20	5
<i>Hemerocallis</i> L. (All spp.)	Day lily	A	20	5
<i>Hibiscus</i> L. (All spp.)	Hibiscus, Rosemallow, Kenaf	B	25	8
<i>Hippeastrum</i> Herb. (All spp.)	Amaryllis	A	20	5
<i>Hordeum</i> L. (All spp.)	Barley	A	20	5
<i>Hosta</i> Tratt. (All spp.)	Plantain lily	A	20	5
<i>Humulus lupulus</i> L.	Hops	A	20	5
<i>Hydrangea</i> L. (All spp.)	Hydrangea	A	20	5
<i>Hypericum</i> L. (All spp.)	Saint John's wort	A	20	5
<i>Hypoestes</i> Soland. ex R. Br.	Ribbon bush	A	20	5
<i>Iberis</i> L. (All spp.)	Candy tuft	A	20	5
<i>Impatiens</i> L. (All spp.)	Snapweed	A	20	5
<i>Ipomoea batatas</i> (L.) Lam	Sweet potato	A	20	5
<i>Jamesbrittenia</i> O. Kuntze (All spp.)	Jamesbrittenia	A	20	5
<i>Juglans</i> L.	Walnut	B	25	8
<i>Juniperus</i> L. (All spp.)	Juniper, Cedar	B	25	8
<i>Kalanchoe</i> Adans. (All spp.)	Kalanchoe, Chandelier Plant	A	20	5
<i>Koeleria</i> Pers. (All spp.)	Hair grass	A	20	5
<i>Lachenalia</i> Jacq. f. ex J. Murr. (All spp.)	Lachenalia, Cowslip	A	20	5
<i>Lactuca sativa</i> L.	Lettuce	A	20	5
<i>Lamium maculatum</i> L.	Spotted deadnettle	A	20	5
<i>Lantana montevidensis</i> (Sprengel) Briq.	Weeping lantana	A	20	5
Botanical name	Kind of plant Common name	Category	Period of plant breeder's right (years)	Period of sole right (years)

<i>Lathyrus tingitanus</i> L	Tangier scarlet pea, T. sweet pea, Gypsy sweet pea	A	20	5
<i>Lavandula</i> L. (All spp.)	Lavender	A	20	5
<i>Leptospermum</i> J. R. Forster et G. Forster (All spp.)	Myrtle	A	20	5
<i>Leucadendron</i> R. Br. (All spp.)	Conebush, Yellowbush	B	25	8
<i>Leucospermum</i> R. Br. (All spp.)	Pincushion	B	25	8
<i>Lilium</i> L. (All spp.)	Lily	A	20	5
<i>Litchi chinensis</i> Sonn	Litchi	B	25	8
<i>Lolium</i> L. (All spp.)	Rye grass	A	20	5
<i>Lonicera</i> L. (All spp.)	Honeysuckle	A	20	5
<i>Lupinus</i> L. (All spp.)	Lupin	A	20	5
<i>Lycopersicon lycopersicum</i> (L.) Karsten ex Farwell	Tomato	A	20	5
<i>Lysimachia</i> L. (All spp.)	Money wort	A	25	5
<i>Macadamia</i> F. Mueller (All spp.)	Macadamia	B	25	8
<i>Malus</i> Mill. (All spp.)	Apple	B	25	8
<i>Malva</i> L. (All spp.)	Mallow	A	20	5
<i>Mandevilla</i> Lindl. (= <i>Dipladenia</i> A. DC.) (All spp.)	Chilean jasmine	A	20	5
<i>Mangifera indica</i> L	Mango	B	25	8
<i>Medicago murex</i> Willd. (See <i>sphaerocarpos</i> Bertol.) <i>Medicago polymorpha</i> L.	Bur clover, rough medic	A	20	5
<i>Medicago saliva</i> L	Lucerne	A	20	5
<i>Medicago sphaerocarpos</i> Bertol.(= <i>M. murex</i> Willd.)	Sphere medic	A	20	5
<i>Medicago trunculata</i> Gaertn	Barrel medic	A	20	5
<i>Melia azedarach</i> L.	Persian lilac, Bead tree, Seringa [Syringa]	B	25	8
<i>Mimetes</i> Salisb. (All spp.)	Cape bottlebrush	B	25	8
<i>Monarda</i> L. (All spp.)	Wild bergamot, horsemint	A	20	5
<i>Monopsis</i> Salisb. (All spp.)	Wild violet	A	20	5
<i>Musa acuminata</i> Colla	Banana	B	25	8
<i>Narcissus</i> L. (All spp.)	Narcissus	A	20	5
Botanical name	Kind of plant Common name	Category	Period of plant breeder's right (years)	Period of sole right (years)

<i>Nemesia</i> Vent. (All spp.)	Nemesia	A	20	5
<i>Nephrolepis</i> Schott (All spp.)	Sword fern	A	20	5
<i>Nerine</i> Herb. (All spp.)	Nerine	A	20	5
<i>Nerium</i> L. (All spp.)	Oleander	B	25	8
<i>Nicotiana tabacum</i> L.	Tobacco	A	20	5
<i>Ocimum basilicum</i> L.	Basil, Sweet basil	A	20	5
<i>Olea</i> L. (All spp.)	Olive	B	25	8
<i>Ophiopogon</i> Ker - Gawl. (All spp.)	Lilyturf, Mondo, Snake's beard	A	20	5
<i>Ornithogalum</i> L. (All spp.)	Chincherinchee	A	20	5
<i>Ornithopus sativus</i> Brot.	Serradella	A	20	5
<i>Orothamnus</i> Pappe ex Hook. (All spp.)	Marsh rose	B	25	8
<i>Oryza sativa</i> L.	Rice	A	20	5
<i>Osteospermum</i> L. (All spp.)	Bitou	A	20	5
<i>Pandorea</i> Spach (All spp.)	Pandorea	A	20	5
<i>Panicum antidotale</i> Retz	Giant panicum, Blue panicum	A	20	5
<i>Panicum deustum</i> Thunb	Broad-leaved panicum	A	20	5
<i>Panicum maximum</i> Jacq.	White buffalo grass	A	20	5
<i>Paranomus</i> Salisb. (All spp.)	Paranomus	B	25	8
<i>Passiflora edulis</i> Sims	Granadilla	A	20	5
<i>Passiflora alata</i> Dryand.	Winged-stem passionflower	A	20	5
<i>Passiflora quadangularis</i> L.	Giant granadilla	A	20	5
<i>Pelargonium</i> L'Hérit. (All spp.)	Geranium, Pelargonium	A	20	5
<i>Pennisetum glaucum</i> (L.) R. Br. emend. Stuntz	Pearl millet	A	20	5
<i>Pentas</i> Benth. (All spp.)	Pentas	A	20	5
<i>Persea americana</i> Mill	Avocado	B	25	8
<i>Petunia</i> Juss. (All spp.)	Petunia	A	20	5
<i>Phalaris aquatica</i> Hack	Phalaris	A	20	5
<i>Phalaris arundinacea</i> L.	Reed canary grass, Ribbon grass	A	20	5
<i>Phaseolus coccineus</i> L.	Kidney Bean	A	20	5
<i>Phaseolus vulgaris</i> L.	Bean	A	20	5
Botanical name	Kind of plant Common name	Category	Period of plant breeder's right (years)	Period of sole right (years)

<i>Philodendron</i> Schott (All spp.)	Philodendron, Elephant's ear	A	20	5
<i>Phlox</i> L. (All spp.)	Phlox	A	20	5
<i>Phoenix dactylifera</i> L.	Date palm	B	25	8
<i>Phormium</i> J. R. Forster et G. Forster (All spp.)	Flax	A	20	5
<i>Photinia</i> Lindl. (All spp.)	Photinia	B	25	8
<i>Pimelea</i> Banks et Soland. (All spp.)	Riceflower	A	20	5
<i>Pinus</i> L. (All spp.)	Pine	B	25	8
<i>Pistacia</i> L. (All spp.)	Pistachio	B	25	8
<i>Pisum</i> L. (All spp.)	Pea	A	20	5
<i>Plectranthus</i> L'Hérit. (All spp.)	Spurflower, Coleus	A	20	5
<i>Plumbago</i> L. (All spp.)	Leadwort	A	20	5
<i>Polypodium</i> L. (All spp.)	Polypody	A	20	5
<i>Potentilla</i> L.	Cinquefoil	A	20	5
<i>Protea</i> L. (All spp.)	Protea, Sugarbush	B	25	8
<i>Prunus amygdalus</i> Batsch. [See <i>Prunus dulcis</i> (Mill.) D. Webb]				
<i>Prunus armeniacea</i> L.	Apricot	B	25	8
<i>Prunus avium</i> (L.) L.	Sweet cherry	B	25	8
<i>Prunus cerasus</i> L.	Sour cherry	B	25	8
<i>Prunus domestica</i> L.	European plum	B	25	8
<i>Prunus dulcis</i> (Mill.) D. Webb (= <i>Prunus amygdalus</i> Batsch)	Almond	B	25	8
<i>Prunus persica</i> (L.) Batsch	Peach	B	25	8
<i>Prunus persica</i> (L.) Batsch var. <i>nucipersica</i> Schneid.	Nectarine	B	25	8
<i>Prunus salicina</i> Lindl	Japanese plum	B	25	8
<i>Psidium guajava</i> L.	Guava	B	25	8
<i>Pyrus</i> L. (All spp.)	Pear	B	25	8
<i>Raphanus sativus</i> L. var. <i>oleiformis</i> Pers.	Fodder radish	A	20	5
<i>Rhododendron</i> L. (All spp.)	Rhododendron, Rosebay, Azalea	A	20	5
<i>Ribes</i> L. (All spp.)	Currant, Gooseberry	B	25	8
Botanical name	Kind of plant Common name	Category	Period of plant breeder's right (years)	Period of sole right (years)

<i>Ricinus communis</i> L.	Castor bean, Castor-oil-plant	A	20	5
<i>Rosa</i> L. (All spp.)	Rose	B	25	8
<i>Rosmarinus</i> L. (All spp.)	Rosemary	A	20	5
<i>Rubus</i> L. (All spp.)	Bramble, Raspberry	B	25	8
<i>Saccharum officinarum</i> L.	Sugar cane	A	20	5
<i>Saintpaulia ionantha</i> H. Wendl	African violet	A	20	5
<i>Salvia</i> L. (excluding <i>S. coccinea</i> Etlinger, <i>S. reflexa</i> Hornem., <i>S. runcinata</i> L.f., <i>S. sclarea</i> L., <i>S. stenophylla</i> Burch. ex Bent., <i>S. tiliifolia</i> Vahl and <i>S. verbenaca</i> L.)	Sage	A	20	5
<i>Scabiosa</i> L. (All spp.)	Pincushion flower	A	20	5
<i>Scaevola</i> L. (All spp.)	Scaevola	A	20	5
<i>Schlumbergera</i> Lem. (All spp.)	Crab cactus, Christmas cactus	A	20	5
<i>Sclerocarya birrea</i> (A. Rich.) Hochst. subsp. <i>caffra</i> (Sond.) Kokwaro	Marula	B	25	8
<i>Secale cereale</i> L.	Rye	A	20	5
<i>Serruria</i> Salisb. (All spp.)	Spider bush, Blushing bride	B	25	8
<i>Setaria nigrirostris</i> (Nees) Dur. et Schinz	Black seed bristle grass	A	20	5
<i>Setaria sphacelata</i> (Schum.) Stapf et C. E. Hubb.	Common setaria	A	20	5
<i>Skimmia</i> Thunb. (All spp.)	Skimmia	A	20	5
<i>Solanum melongena</i> L. var. <i>esculentum</i> Nees	Egg fruit, Aubergine, Brinjal	A	20	5
<i>Solanum tuberosum</i> L.	Potato	A	20	5
<i>Sorghum bicolor</i> (L.) Moench	Grain sorghum	A	20	5
<i>Sorghum</i> spp. [<i>S. alnum</i> Parodi, <i>S. sudanense</i> (Piper) Stapf and hybrids]	Forage sorghum	A	20	5
<i>Spathiphyllum</i> Schott (All spp.)	Spathe flower, White sail	A	20	5
<i>Strelitzia</i> Ait. (All spp.)	Strelitzia	A	20	5
<i>Sutera</i> Roth (All spp.)	Sutera	A	20	5
<i>Syzygium</i> Gaertn. (All spp.)	Waterwood trees	B	25	8
Botanical name	Kind of plant Common name	Category	Period of plant breeder's right (years)	Period of sole right (years)

<i>Tagetes</i> L.	Marigold	A	20	5
<i>Thea sinensis</i> L. [See <i>Camellia sinensis</i> (L.) O. Kuntze]				
<i>Tibouchina</i> Aubl. (All spp.)	Glory bush tree	A	20	5
<i>Trifolium alexandrinum</i> L.	Berseem clover, Egyptian clover	A	20	5
<i>Trifolium balansae</i> Boiss.	Balansa clover	A	20	5
<i>Trifolium hybridum</i> L.	Alsike clover	A	20	5
<i>Trifolium pratense</i> L.	Red clover	A	20	5
<i>Trifolium repens</i> L.	White clover	A	20	5
<i>Trifolium resupinatum</i> L.	Persian clover	A	20	5
<i>Trifolium subterraneum</i> L.	Subterranean clover	A	20	5
X <i>Triticosecale</i> Witt. (<i>Triticum</i> x <i>Secale</i>) (All spp.)	Triticale	A	20	5
<i>Triticum</i> L. (All spp.)	Wheat	A	20	5
<i>Tropaeolum</i> L. (All spp.)	Nasturtium	A	20	5
<i>Tulbaghia</i> L. (All spp.)	Wild garlic	A	20	5
<i>Vaccinium</i> L. (All spp.)	Blueberry, Cranberry	B	25	8
<i>Verbena</i> L. (All spp.)	Vervain	A	20	5
<i>Vicia faba</i> L. var. major Harz	Broad bean	A	20	5
<i>Vicia villosa</i> Roth (including <i>Vicia dasycarpa</i> Ten.)	Hairy vetch, Woolly-pod vetch	A	20	5
<i>Vigna unguiculata</i> (L.) Walp. [including <i>V. sinensis</i> (L.) Savi ex Hassk., <i>Dolichos biflorus</i> L.]	Cowpea	A	20	5
<i>Vinca</i> L. (All spp.)	Periwinkle	A	20	5
<i>Viola</i> L. (All spp.)	Violet	A	20	5
<i>Vitis</i> L. (All spp.)	Grape	B	25	8
<i>Zantedeschia</i> Sprengel (All spp.)	Arum lily	A	20	5
<i>Zea mays</i> L.	Grain maize	A	20	5
<i>Zea mays</i> L. var. <i>saccharata</i> Bailey	Sweetcorn	A	20	5